



## **FOOD ALLERGY**

Student:	Gra	de: School C	ontact:	DOB:
Asthmatic:   Yes	No (increased risk for	severe reaction) All	ergen(s):	
Mother:		MHome #:	MWork #:	MCell #:
Father:		FHome #:	FWork #:	FCell #:
Emergency Contact:		Relations	nip:	Phone:
<ul> <li>MOUTH</li> <li>THROAT</li> <li>SKIN</li> <li>STOMACH</li> <li>LUNG</li> <li>HEART</li> <li>TI</li> </ul>	Itching & swelling of Itching, tightness in t Hives, itchy rash, swe Nausea, abdominal c	lips, tongue or mouth, hroat, hoarseness, coug elling of face and extremamps, vomiting, diarrhapetitive cough, wheez ssing out"	gh nities ea ring ickly –	Student Photo
STAFF MEMBERS IN	ISTRUCTED: ☐ Administration	☐ Classroom Teach☐ Support Staff		l Area Teacher(s) portation Staff
	parent/guardian if off	school grounds.	Benadryl per provider's o	
AND EPIND Preferred Hospital if tr Epinephrine provides a rate. This is a normal a member should accom	ensported:a 20 minute response wiresponse. Students rece	ndow. After epinephri iving epinephrine shou emergency room if the	PHRINE IMMEDIAT  ne, a student may feel did d be transported to the l	MPTOMS ARE PRESENT ELY AND CALL 911.  zzy or have an increased heart hospital by ambulance. A staff rgency contact is not present and
•	☐ Medication available		n NOT available on bus	☐ Does not ride bus
Healthcare Provider: _			Phone:	
Written by:			Date:	
	☐ Copy provided to P	arent	Copy sent to Healthcare	Provider

Parent/Guardian Signature to share this plan with Provider and School Staff: \_